

USER'S GUIDE V-BELTS

We Do "CARE"

Commitment · Ability · Reliability · Efficiency





PIX Europe Limited, U. K.



PIX Germany GmbH, Germany



PIX-Flexequip Hydraulics Limited, Northern Ireland



PIX South America Ltd., Brasil



PIX Middle East FZC, UAE



PIX Hydraulics & Transmissions (Hangzhou) Ltd. China

Contents

Particulars	Page No.
Profile	01
Certifications	02
Free Set Concept	03-04
Installation Procedure for V-Belts	05-12
Preventive Maintenance	13-18
Service Equipment	19-27
Minimum Recommended Diameter	28
Storage	29
Type of Failure	30-31
Troubleshooting	32-35
Types of failure (Banded Belts)	36
Troubleshooting (Banded Belts)	37
Installation Procedure (Ribbed Belts)	38
Tensioning Procedure (Ribbed Belts)	39
Troubleshooting (Ribbed Belts)	40-41
Do's and don'ts	42-44
V-belt conversion factor	45

Profile

PIX TRANSMISSIONS LIMITED, is engaged into the manufacturing of an extensive range of world class quality Industrial V-Belts, Automotive Belts, Steel Wire Braided Hydraulic Hoses, Hose Assemblies & End Fittings to suit various power drive needs.

PIX manufacture belts in Wrap, Cut Edge, Ribbed or Poly Belts, Synchronous Belts & Application Specific constructions. They are manufactured at Its state-of-the-art facilities at Nagpur and Bazargaon. Its both the facilities are designed to include all sophisticated manufacturing and testing facilities under one roof and confirms to the stringent ISO/TS 16949:2002, ISO 14001 & OHSAS 18001 standards.

All its products are known for their efficiency, reliability and trouble free operation, and they can perform even in most adverse conditions.

PIX V-belts and Hoses are suitable for Industrial and Automotive applications and the end users of its products belong to cement industries, power corporations, steel industries, oil companies, mining and other engineering industries.

PIX's stress on consistency in quality has qualified it as a trusted and reliable manufacturer of V-belts and Hoses not only in India but in overseas market also.

Certifications









ATEX Certification IBEXU Institut für Sicherheitstechnik GmbH Directive 94/9/EC Test Report No.: IB-03-4-934 €3|1 2GD c IIB X

Free set concept

PIX's innovative concept of Free Set V-belts gives the advantages of having -

- · No length code
- · Low variation in length tolerance
- · Less centre adjustment
- · Low stretch
- · Low variation in elongation within a set of belts
- Uniform power transmission
- Longer life
- Reduced maintenance periodicity
- · Less inventory

PIX FREE SET BELT TENSIONING

PIX Free Set V-belts are specially constructed to arrest variation in the length as a result there is exceptionally low variation in the length.

You just have to Install the belts on the drive, apply sufficient tension, run the belts under full load condition for 24 hours, stop the drive and re-tension, if necessary.

All PIX Free Set belts are produced in the given tolerance range. However belts normally shrink when stored for a longer duration, the shrinkage factor depends on the climatic conditions, but the belts would resume their original length once fitted and run for some time.

The shrinkage factor does not affect the life of the belts.

Free set concept

Length Tolerance Chart

Nominal Length	Length Tolerance (mm)
Up to 1905 mm (75 inches)	± 1
Beyond 1905 mm (75 inches) Up to 3150 mm (124 inches)	± 2
Beyond 3150 mm (124 inches) Up to 5004 mm (197 inches)	± 3
Beyond 5004 mm (197 inches) Up to 8992 mm (354 inches)	± 4
Beyond 8992 mm (354 inches) Up to 16002 mm (630 inches)	± 6

INSTALLATION PROCEDURE FOR V-BELTS

1. Check Pulleys

Before installation, check the pulleys for wear and for the presence of any foreign material. Worn out pulleys must be replaced to ensure good contact between the pulley and the belt.

Worn out pulleys, if not replaced may lead to the following problems-



- · Early failure of the belt
- Belt may tend to slip off from the pulley groove
- Reduction in power transmission capacity
- Lead to excessive vibrations, especially when the sides of the pulley are damaged

Always check the following before installation

- Check the pulley groove for its correctness with the help of pulley gauges.
- The pulley groove surface area should be smooth and free of burrs, rough surface may lead to an unwanted abrasion of the belts, reducing its life.

2. Checking pulley groove, key and the shaft :

Before replacing worn-out belts, it is a must to check the fitting of the pulley with the shaft. If there is any gap or play between the two, replace the worn-out component immediately. Make sure that the pulley is properly fitted with the shaft, improper fitting leads into jerks resulting into earlier failure of the drive.

3. Do not mix old / new belts:

Do not use newly purchased belt with the old belt on the same drive. This may lead into-



- Non uniform tensioning
- Reduction in power transfer
- Reduced working life of the new helts
- · Slippage of the old belts





Always use a set with all new belts from the same manufacturer.

4. Installing belts:


Never use lever to install the belt, it may lead into the breakage of the cord line. Using of lever invariably develops permanent



twists leading into its turning into the pulley while running. Install belt by reducing the centre distance between the pulleys, reduce the distance to the extent where the belts can be installed easily. It is a must to provide installation and take-up allowance to the drives (Refer Table 1-4)

There should be a provision for adjusting the centre distance so that it can be varied sufficiently for easy installation.

INSTALLATION





INSTALLATION & TAKE-UP ALLOWANCES




Table: 1
PIX CLASSICAL V-BELTS

	ш		1	1	1	1	1	1	1	40	40	40	45	20	20	22	9	65
	0	٠		٠		٠	٠	٠	35	32	32	32	40	45	45	20	09	9
	25	٠	٠		٠		٠	22	30	30	30	30	35	40	45	45	22	55
ce y (mm)	C/CX						20	22	25	30	30	30	35	40	45	45	22	55
Installation Allowance y (mm)	20						20	50	25	22	52	30	35	40	40	40	20	50
Installatio	B/BX	٠			10	15	15	20	20	20	20	20	25	52	22	30	40	40
	A/AX			,	10	15	15	20	20	20	50	20	20	50	25		,	,
	XZIZ			10	10	15	15	20	20	20	50	20			٠		,	,
	∞			10	10	10	15	15	50				•				,	,
Minimum Take-up	(mm) x	S	2	5	10	15	20	25	25	35	45	22	02	85	110	135	150	190
Pitch Length	(mm)	200	>200 ≤ 250	>250 ≤ 315	>315 ≤ 670	>670 ≤ 1000	>1000 ≤ 1250	>1250 ≤ 1800	>1800 ≤ 2240	>2240 ≤ 3000	>3000 ≤ 4000	>4000 ≤ 5000	>2000 ≤ 6300	>6300 ≤ 8000	>8000 ≤ 10000	>10000 ≤ 12500	>12500 ≤ 15000	>15000 < 18000

Table: 2 PIX WEDGE BELTS

SPZ / XPZ SPA / XPA SPB / XPB 10 10 - 15 15 - 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 25 20 20 25 25 25 35 25 25 35 30 30 35 - - 45	itch Length	Minimum Take-up		Installation Allowance y (mm)	wance y (mm)	
10 10 10 10 10 10 10 10 10 10 10 10 10 1	(mm)	x (mm)	SPZ / XPZ	SPA / XPA	SPB / XPB	SPC / XPC
15 15 15 15 15 20 20 20 20 20 20 20 20 20 20 20 20 20	487 ≤ 670	10	10	10		
20 15 15 15 25 20 20 20 20 20 20 20 20 20 20 20 20 20	>670 ≤ 1000	15	15	15		٠
25 20 20 20 35 20 20 20 20 20 20 20 20 20 20 20 20 20	>1000 ≤ 1250	20	15	15		1
25 20 20 45 45 20 20 20 20 20 20 20 20 20 20 20 20 20	>1250 ≤ 1800	25	20	20	20	
35 20 20 55 20 20 70 25 20 70 25 25 110 30 30 135	>1800 < 2240	25	20	20	20	25
45 20 20 20 70 70 85 25 25 25 25 25 25 25 25 25 25 25 25 25	>2240 ≤ 3000	35	20	20	20	30
55 20 20 70 25 25 85 25 25 110 30 30 135	>3000 ≤ 4000	45	20	20	20	30
70 25 25 25 110 30 30 30 150 150	×4000 ≤ 5000	55	20	20	25	30
85 25 25 110 30 30 1115 1150 190	>5000 ≤ 6300	20	25	25	30	35
110 30 30 135	-6300 ≤ 8000	85	25	25	35	40
135	3000 ≤ 10000	110	30	30	35	45
150 - 190	0000 ≤ 12500	135	,		32	45
190	2500 ≤ 15000	150	٠		45	22
	5000 ≤ 18000	190			45	55

Table:3 PIX NARROW BELTS


(mm) >67.3 × 1016 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1016 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206 >1016 ≤ 1206	Outside Minimum Take-up	Inst	Installation Allowance y (mm)	(mr
>67.3 s 1016 > 1016 s 1206 - 1206 s 1803 > 1206 s 1803 > 2159 s 2997 > 2159 s 2997 > 2007 s 4064 > 4064 s 6080 > 5000 s 6030 > 5000 s 6030 > 1010 6 s 6320 > 1010 6 s 12700 > 1010 7 s 12700	(mm) x (mm)	3V/3VX	5V/5VX	8V
> 106 5.1206 > 1206 5.1803 > 1803 5.218 > 27159 5.2897 > 2759 5.2897 > 2800 5.2890 > 4004 > 5000 5.550 > 5001 5.100 > 1010 6.520 > 1700 > 1700 5.1700 > 1700 5.1700		15		
> 1206 s 1803 > 1803 s 2169 > 2169 s 2807 > 2904 s 4064 > 4064 s 6000 > 5000 s 6030 > 5000 s 6030 > 5000 s 6001 > 1010 6 s 27700 > 17700 s 17700		15		
> 1600.2 < 2159.2 < 2597.2 < 2597.2 < 2597.2 < 2597.2 < 2597.2 < 2597.2 < 2597.2 < 2597.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2598.2 < 2	206 ≤ 1803 25	20	20	
2,2159 2,2997 2,2997 < 4064 2,4064 5,690 2,5000 5,550 3,5350 5,8001 3,8001 ≤ 10160 2,10700 < 1,7200 2,17000 < 1,7200		20	20	
>2997 s.4064 >4064 s.6080 >6080 c.6390 >6380 r. 8801 >8010 s. 41700 >4701 f. 61 s. 6240 >4701 f. 61 s. 6240		20	20	40
>4064 ≤ 5080 >5080 ∈ 5850 >5350 ≤ 8001 >8001 ≤ 10160 >101700 ∈ 12700 >1700 ∈ 12700		20	20	40
>5080 ≤ 6350 >6350 ≤ 8001 >8001 ≤ 10160 >10706 ≤ 12700 >1770 < 15240		20	25	40
>6350 ≤ 8001 >8001 ≤ 10160 >10160 ≤ 12700 >10700 < +15240			30	45
>8001 ≤ 10160 >10160 ≤ 12700 >12700 < 15240			35	45
>10160 ≤ 12700			35	20
>12700 < 15240			35	20
01701 = 00171			45	09
>6000 ≤ 7100 >15240 ≤ 18034	_		45	09


Table: 4
PIX BANDED BELTS

Minimum Take-up		Installation Allowance y (mm)	ance y (mm)	
(mm) ×	A/HA	B/HB	C/HC	D/HD
25	30	35		,
25	30	35		
35	30	35	20	85
45	30	35	20	85
55	30	40	55	06
70	35	45	09	06
85	45	55	65	100
110	45	22	65	100
135	20	09	75	100
150	09	02	85	110
190	70	85	95	125

5. Checking Alignment:

Proper alignment of pulleys is vital to attain better performance. Use following method to check the alignment of pulleys.





6. Re-tensioning

Proper tensioning is required to achieve maximum output from the drive. For any new installation belt tension should be checked for the first two days of the operation and it should be re-tensioned if required.

7. Drive Guard

Once the installation is done, the drive should be covered with appropriate drive guard.

PREVENTIVE MAINTENANCE

Accessibility to the drive

It is imperative to maintain safe access to the drive. The drive area should be kept free from clutter, debris or any obstruction. Floor surface should be clean and free from oil or grease.

Drive Guards

The drive should always be guarded properly. Drive guard should be designed properly to -

- Enclose the drive completely
- Facilitate proper ventilation
- Offer easy access to the inspection doors
- Easy replacement
- Protect the drive from environmental damages

Inspection planning for preventive maintenance Periodic inspection of drive is suggested as a part of preventive maintenance. Look & listen for anything unusual. A perfectly designed drive will always function smoothly and quietly.

Inspect the guard for vibrations if any, tighten it with the base if it is loose. Avoid accumulation of dust and grime on the belt guard as it will block the ventilation, leading into the rise in temperature and premature failure of the belt.

Elevated temperature do affect the efficiency of the

belts. A rise of 20°C in the ambient temperature above 60°C will reduce the belt life by 50%.

Prevent dripping of oil or grease on to the drive or the belt, this is very common if the bearings are lubricated excessively. If it continues for a prolonged period, it will lead into the swelling of the belt resulting into premature failure.

Frequency of inspection

Certain factors are to be considered before deciding upon the frequency of inspection, they are -

- · Operating speed of the drive
- · Operating cycle of the drive
- · Criticality of the the drive
- Temperature extremities
- Environmental factors

If the drive is exposed to any of the above condition, the drive should be inspected periodically at shorter intervals.

To help the maintenance person to prepare his maintenance schedule, following guidelines can prove to be very helpful.

Critical drives

A quick visual & hearing inspection may be planned once a week.

Normal drives

A quick visual & hearing inspection can be done once a month.

Complete inspection

Complete inspection should be carried out to check the entire drive every three months.

INSPECTION

Checklist for the inspection of drive

- Electrical supply to the motor should be switched off before going ahead with the inspection.
- Remove the belt guard, inspect for any damages & clean it.
- Check the belt if it is damaged for any external reason, rectify it before placing new belts.
- Check the pulley it should not be worn-out, also check the bearings, lubricate them.
- Always use installation and take-up allowance.
- Never use lever or iron bar to install the belts.
- Install belts in sequential order. Rotate pulley for at least two revolutions after installing each belt, this is called as bedding of belts and helps the belt to set in the pulley groove, once done check for correct pulley alignment.

- Tension the belts as per PIX norms.
- Re-tension the belts after an initial run of 24-48 hours.
- Put the drive guard in place.
- Resume electrical supply, restart the drive, look & listen for anything unusual.

Clothing

Never wear aprons or clothes which are too long or of lose fitting & neck-ties in the vicinity of belt drive, the sleeves should also be rolled up to avoid any accident.




Use hand-gloves while inspecting the sheaves as sometimes the pulleys are worn out or having sharp edges.

Belt inspection

Check the belts for wear-out.

Pulley inspection

Inspect the sheaves for burrs, sharp edges, wear-out (eg. dish out) alignment.



Alignment

Alignment can be checked by using a string pulled across the face of the pulleys. Misalignment can be seen in the form of a gap between the string and the pulley face.

Align groove like this

Shafts Parallel


Not like this

Probable causes of misalignment

Factors primarily contributing to misalignment are -

- Motor shafts and driven machine shafts are not parallel to each other.
- Pulleys are not properly located on the shafts.
- Pulleys are tilted due to improper mounting.

As a general rule, the tolerance permissible for misalignment is 1° maximum. The greater the misalignment more are the chances of the belt instability, increased belt wear & belt turn over.



Belt guard inspection

Check the belt guard for protruding parts or sharp edges if any. Check for proper ventilation. Clean if it is dirty.

Inspection of drive components

Check the bearings for proper lubrication. Check the motor mounts for proper fitment & firmness. Keep the take up rails free from any foreign obstacles.

Check belt tension

In many cases the drives fail prematurely and doesn't give satisfactory life due to improper tensioning. For efficient running of the drive an optimised belt tension should be maintained as long as the belt is being used.

Optimum belt tension can be defined as minimum tensioning force at which the belt will not slip under full load condition.

Too low belt tension will cause the belts to slip abnormally. On the other hand too high tension will reduce the life of the belt & bearings. Hence optimum belt tension should be maintained on the drive.

PIX Digital Tension Meter
PIX Digital Tension Meter is
used for the measurement of
belt-tension in a drive. This
digital version helps in correct
tensioning of the drive resulting
into optimum power
transmission. It helps in reading
the exact value of tension on
the belts, thus helping the users
to correct the tension, if it is not
proper. This equipment works



Advantages:

- · Non-contact measurement with repeated accuracy
- Large range of measurement from 10Hz to 600Hz
- High level of accuracy
- Evaluation of the quality of measurement results
- Suppression of background noises
- Universal measuring head for convenient measurement

on frequency measurement phenomenon.


Detachable measuring sensor for narrow spaces.

Tec				
rec	m	ıcaı	D	ata.

recillical Data.	
Range of Measurement:	10 - 600 Hz
Measuring Precision:	10 - 400 Hz ± 1%
-	400 - 600 Hz ± 2%
	± 1 digit
Measuring Method:	Non contact acoustic with background noise suppression
Voltage Supply:	2*1, 5V Mignon (LR06) AA
Power Consumption:	< 25mA
Display:	LCD 2 lines of 8 characters
Working Temperature:	0° to +50°C
Storage Temperature:	-20 to +60°C

SERVICE EQUIPMENT PIX V-belt Tension Tester

Proper belt tension is vital to derive the best from your drive, it is recommended to check belt tension by measuring the deflection force value (N) with the help of a tension measuring device.



The belt tension in most of the drives can be checked with adequate reliability by means of PIX Tension Tester.

Tension measuring procedure

Measure the span length of the belt in mm (Ref.sketch).

Tie a string / thread on the two pullies along the length of the belts and mark centre of the span on the belt.

Calculate 1.5% of the span (say 'x') for belt length less than 1000 mm & 1% of the span for belt length more than 1000 mm. Adjust lower ring on the Tension Tester on mm scale to coincide 'x' mm with the lower side of the ring. Adjust lower side of the upper ring at 0.00 N.

Place Tension Tester at the centre of the belt span. Apply force with the help of Tension Tester perpendicular to the span till the lower surface of the ring touches the string.

Read the deflection force value (N) on the Newton's scale by taking reading at the lower side of the upper ring.

Compare the deflection force value (N) with the values given in the table 'A'. The deflection force value (N) should lie between the minimum and maximum values given in the table 'A'.

Deflection force less than minimum recommended value in the range indicates an under tensioned drive & deflection force higher than maximum

PIX **PIX Tension Tester**

recommended value indicates an over-tensioned drive.

TENSIONING CHART

Table A (CLASSICAL BELTS)

Section Smaller Engine	Condition 1 Deflection @ 1.0% if span, length is more than 1000 mm Required deflection force F at the centre of span for belt speed of more of span for belt speed of more of span for belt speed of more of span for lenge (N) range (N) ra	an,) mm F at the peed (20 to 30) m/s	Defle if span ler	Condition 2 Deflection@1.5% of span, if span length is less than 1000 mm	pan, 1000 mm
(0 to 10 t	Required deflection force I centre of span for belt s 0) m/s (10 to 20) m/s range (N)	Fat the peed (20 to 30) m/s			
50-100 100 & above 71-140 140 & above 112-200 200 & above 180-400		(20 to 30) m/s	Required centre	Required deflection force F at the centre of span for belt speed	F at the speed
50-100 100 & above 71-140 140 & above 112-200 200 & above 180-400		range (N)	(0 to 10) m/s range (N)	(10 to 20) m/s range (N)	(20 to 30) m/s range (N)
71-140 140 & above 112-200 200 & above 180-400	4-6 4-5 6-9 6-7	9-5- 6-7-	5-8	5-7	4-5
140 & above 112-200 200 & above 180-400	1	8-9	11-16	9-13	8-11
112-200 200 & above 180-400	10-14	8-12	16-24	13-19	11-16
200 & above 180-400	13-19	10-16	21-32	17-25	13-21
180-400	-35 19-29	16-24	32-47	25-39	21-32
	-46 26-38	20-31	41-61	35-51	27-41
400 & above 46-70	-70 38-58	31-46	61-93	51-77	41-61
D 315-600 62-90	-90 52-76	42-62	83-120	69-101	56-83
600 & above 90-134	134 76-115	62-90	120-179	101-153	83-120
E 450-915 108-160	160 90-137	73-109	144-213	120-183	97-145
915 & above 160-240	240 137-205	109-160	213-320	183-273	145-213

CLASSICAL BELTS

TENSIONING CHART

Table A (WEDGE/NARROW BELTS)

Cross	Smaller	Deflu length	Condition 1 Deflection @ 1.0% if span, length is more than 1000 mm	pan, 10 mm	Defle if span le	Condition 2 Deflection@ 1.5% of span, if span length is less than 1000 mm	pan, 1000 mm
Section	dia. (mm)	Require	Required deflection force F at the centre of span for belt speed	F at the speed	Requirec	Required deflection force F at the centre of span for belt speed	F at the speed
		(0 to 10) m/s range (N)	(10 to 20) m/s range (N)	(20 to 30) m/s range (N)	(0 to 10) m/s range (N)	(10 to 20) m/s range (N)	(20 to 30) m/s range (N)
SPZ/3V	/ 63-95 95 & above	8-12	7-10	6-9 9-14	11-16	9-13	8-12
SPA	90-140	14-20	12-17	10-14	19-27	16-23	13-19
SPB/5V		25-36 36-46	20-32	18-27	33-48	27-43 43-55	24-36 36-49
SPC	224-355 355 & above	46-66 66-85	38-58 58-76	32-52 52-70	61-88 88-113	51-77 77-101	43-69 69-93
88	335-520 520 & above	81-107 107-167	68-90 90-140	56-73 73-113	108-143 143-223	91-120 120-187	75-97 97-151

WEDGE/NARROW BELTS

TENSIONING CHART

Table A (CUT EDGE CLASSICAL)

Cross	Smaller	Deflection length	Condition 1 Deflection @ 1.0% if span, if span length is more than 1000 mm	, if span 10 mm	Defle if span le	Condition 2 Deflection@ 1.5% of span, if span length is less than 1000 mm	pan, 1000 mm
Section	diameter (mm)	Require centre	Required deflection force F at the centre of span for belt speed	Fat the speed	Requirec centre	Required deflection force F at the centre of span for belt speed	F at the speed
	,	(0 to 10) m/s range (N)	(10 to 20) m/s range (N)	(20 to 30) m/s range (N)	(0 to 10) m/s range (N)	(10 to 20) m/s range (N)	(20 to 30) m/s range (N)
X	40-100 100 & above	5-7	5-6	3-5	6-9 9-14	6-8	5-6 8-9
¥	63-140 140 & above	9-14	8-12 12-16	7-9 9-14	12-18	11-15	9-12
BX	90-200 200 & above	18-28	15-22 22-33	12-18 18-28	25-37 37-54	20-29	15-25 25-37
X	140-400 400 & above	36-53 53-81	30-44	23-36 36-53	48-71 71-107	40-58 58-89	31-48

CUT EDGE BELTS

TENSIONING CHART

Table A (CUT EDGE WEDGE/NARROW)

Cross	Smaller	Deflection length	Condition 1 Deflection @ 1.0% if span, if span length is more than 1000 mm	, if span 10 mm	Defle if span ler	Condition 2 Deflection@ 1.5% of span, if span length is less than 1000 mm	pan, 1000 mm
Section	diameter (mm)	Require centre	Required deflection force F at the centre of span for belt speed	F at the speed	Requirec centre	Required deflection force F at the centre of span for belt speed	F at the speed
		(0 to 10) m/s range (N)	(10 to 20) m/s range (N)	(20 to 30) m/s range (N)	(0 to 10) m/s range (N)	(10 to 20) m/s range (N)	(20 to 30) m/s range (N)
XPZ	26-92	9-14	8-12	7-10	12-18	11-15	9-14
3VX	95 & above	14-20	12-18	10-16	18-26	15-25	14-21
ΧDΔ	71-140	16-23	14-20	12-16	21-31	18-26	15-21
3	140 & above	23-36	20-30	16-25	31-48	26-40	21-34
207	112-265	29-41	23-37	21-31	38-55	31-49	28-41
בל	265 & above	41-53	37-47	31-43	55-71	49-63	41-57
>	180-355	53-76	44-67	37-60	71-101	58-89	49-80
ر کاد	355 & above	26-98	67-87	60-81	101-130	89-117	80-107

CUT EDGE BELTS

Important

For new belts the deflection force value (N) should be kept at maximum.

Maximum deflection force value (N) is recommended for pulsating & shock loads.

After approximately 24 hours of running check the belt tension and adjust if necessary.

PIX PULLEY GAUGES


PIX Pulley Gauges are specially designed for checking the grooves of various sections.

Groove checking procedure

Identify the pulley gauge to be used according to pulley's section and its diameter.

Check the groove by inserting the gauge. Identify if any clearance is there between the side walls of pulley groove and the gauge.

Measure the clearance using Feeler Gauge.



PIX Pulley Gauge

PIX LENGTH FINDER

It is used to check the length of a particular belt or sometimes in used belts the size of the belt is not clearly visible. It can also be used to confirm the size of the belt.

PIX has two types of Length Finders-

- Conventional
- Poly-V



The maximum length which can be measured with these length finders is 120 inches.

Length measuring procedure

- Place the belt on the upper fixed half of the pulley.
- Slide down the lower half of pulley with the belt along the scale till the belt gets sufficiently stretched.
- The markings at the lower position of bottom half will show the reading in mm/inches.
- Note down the reading and compare it with the size mentioned on the belt.

Min. recommended dia.

MINIMUM DIAMETER RECOMMENDED

Section	Minimum Diameter	Section	Minimum Diameter	Section	Minimum Diameter
8	40	ZX	40	SPC	224
Z	50	AX	63	3V	63
Α	71	ВХ	90	5V	140
В	112	CX	140	8V	335
С	180	AA	80	XPZ/3VX	56
D	355	BB	125	XPA	71
Е	500	CC	224	XPB/5VX	112
19	180	SPZ	63	XPC	180
20	160	SPA	90		
25	250	SPB	140		

Storage

STORAGE

Methods of storage

The most common method of storing V-belts is to hang them in crescent shaped pegs or pin racks. Long-length V-belts should be coiled for an easy and distortion free storage.

Variable speed belts are more sensitive to distortion. It is recommended not to hang them on the pegs. They should always be stored on shelves.

Effects of storage

A shelf life of 6 years can be obtained, if proper storing conditions are maintained i.e. temperature not more than 30°C & relative humidity not more than 60%.

If storage temperature exceeds 30°C, the service expectancy of the belt reduces drastically. Under rough estimates, it is said that for an increase of 8°C above the stipulated temperature, the belt life gets reduced by 50%.

If the drive is to remain out of use for a prolonged period of time, it is suggested that the belt tension should be relaxed.

Under no circumstances the belts should be stored at temperatures above 46°C.

Types of failure



Bottom crack



Belt snapped



Shining surface due to high slippage



Stuck up and burnt


Types of failure



Belt snapped due to breaking of cord while fitment



Envelope wear (side, bottom & top wear-out)



Belt twisted due to belt turnover in the pulley

Troubleshooting

Problems	Causes	Remedies
Belt turnover in	a) Poor drive alignment	a) Re-align
pulleys	b) Incorrect pulley groove or excessive wear of pulley groove	b) Renew/replace pulleys
	c) Excessive belt flap	c) Use idler on slack side
	d) Low belt tension	d) Re-tension
	e) Worn out belts f) Ingress of foreign material	e) Replace with new beltsf) Use more effective drive guard
Excessive wear	a) Incorrect pulley section	a) Replace pulley
	b) Excessive wear of pulley groove	b) Re-machine pulleys
	c) Poor drive alignment	c) Realign
	d) Pulleys of improper diameter	d) Redesign using correct pulley diameter. Use PIX notched V-Belts
	e) Belt catching on protruding parts	e) Remove protrusion or move drive away
Excessive noise	a) Poor drive alignment	a) Realign
	b) Incorrect belt tension	b) Re-tension
	c) Overloaded drive	c) Check drive details and redesign
	d) Unbalanced pulleys	d) Redesign the drive & balance the pulleys

Troubleshooting

Problems	Causes	Remedies
Belt swelling or softening	a) Contamination by oil or other chemicals	a) Protect the drive from contamination, clean pulley grooves with petrol/alcohol before putting new belts. If contamination is unavoidable use PIX AOH Belts.
Excessive wear	a) Worn out badly damaged grooves b) Drive with old and new belts together c) Belts from various manufacturers	a) Re-machine or renew pulleys b) Replace with new set of V-belts c) Use belts from same manufacturer
Belt breaking after fitment	a) Forcing belt over pulley when fitting, damaging cord and cover b) Ingress of foreign material c) Insufficient belt or wrong section or drive d) Drive stalled	 a) Reduce drive centre distance to fit belt b) Use drive guard c) Design the drive & use correct section & number of belts d) Ascertain cause and rectify

V-BELTS


Problems	Causes	Remedies
Cannot be re-tensioned	a) Insufficient allowance for stretch in drive design	a) Give sufficient allowance for take-up
	b) Excessive stretch caused by insufficient belts or wrong belt for the drive	b) Recalculate drive design and modify
	c) Incorrect belt length	c) Use a shorter belt
	d) Belt from different manufacturers used on the same drive	d) All the belts must be from one manufacturer
Excessive	a) Too low belt tension	a) Increase belt tension
slippage	b) Too small area of contact	b) Increase shaft centre distance
	c) Overloaded drive	c) Redesign belt drive
	d) Worn belt pulley	 d) Change to new belt or pulley
Transversal cracking	a) Too small pulleys	a) Use standard size pulley or use PIX notched or Cogged belts
	b) Outside idler pulleys	b) Use inside idler pulley in slack side
	c) Ambient temp. Too high (above 60°C)	c) Ensure good ventilation & protect from direct heat or use PIX AOH Belts

V-BELTS


Problems	Causes	Remedies
Transversal cracking	d) Ambient temperature too low (below 18°C)	d) Maintain proper temperature
	e) Abnormal belt slip	e) Check drive tension & check drive design to ensure correct number of belts
Bottom & side of belt burnt	a) Belt slipping under starting or stalling load	 a) Replace belt & tighten drive until the slipping stops
	b) Worn sheaves	b) Replace sheaves
Belts pulled	a) Extreme shock-load	a) Remove cause of load
apart	b) Misaligned drive	b) Check drive alignment
(Snapped)	c) Foreign particle in drive	c) Use drive guard
	d) Belt turnover in pulley	d) Excessive slippage

Types of Failure

BANDED BELTS



Separation of tie due to improper belt setting in the pulley groove.



Belts leaving tie due to improper setting and misalignment.

BANDED BELTS

Problems	Causes	Remedies
Tie band separating	a) Worn sheaves	a) Check sheave grooves & replace with std. groove sheaves
	b) Wrong pitch (e) dimension of pulley grooves	b) Use standard pitch dimension of pulley
One strand riding outside the sheave groove	a) Possible misalignment, lack of tension or foreign object forcing the belt off from the sheave groove	Align the drive properly, re-tension and remove any interference from foreign object
Outside belt and adjacent to it have started to separate	a) Belt has jumped one groove forcing outside belt off the sheave b) Improper tension or misalignment or foreign object	a) Replace the belt and set it properly in aligned grooves b) Tension properly
	c)Wrong pitch (e) dim. of pulley grooves	c) Use standard pitch dimension of pulley
All belts separated from the band	a) Riding outside and above sheave grooves	a) Proper maintenance of drives & installation of belts
	b) Too loose contact	b) Adjust shielding
Top tie band frayed or damaged	a) Obstructions interfering with normal operation of the belt	a) Re-align the drive & remove obstructions
Cracks at the bottom of the belts	a) Belt slipping	a) Check belt tension

PIX Ribbed belts

Installation procedure for ribbed belts

Ribbed belts are new generation belts, it is important to follow proper installation procedure to attain the best power-performance ratio. Given below are some of the installation tips which are to be followed strictly while using Ribbed belts.


- 1. Switch off the main supply before beginning with the installation process.
- Bring the pulleys close to each other so that the belt can be placed easily.
- 3. Inspect the pulley grooves for any scores sharp edges, dirt or rust, clean them if required.
- 4. Ensure proper alignment of pulleys. Make sure that the shafts are also properly aligned.
- Mount the ribbed belt with zero or no tension. Make sure that the ribs are properly seated in the grooves.
- 6. Tension the belts as per procedure.
- Give some running time to the drive so that the belt gets properly seated in the groove.
- 8. Guard the drive properly.

PIX Ribbed belts


Tensioning procedure

To achieve the best from your ribbed belt drive, it is a must to maintain optimum tension in the drive. Under or over tensioning can cause the ribbed belt to fail prematurely. Following steps should be carried out while tensioning the ribbed belt drive.

- 1. Fit the belt on the pulleys with no or zero tension.
- Draw two lines perpendicular across the belt at about 80% of the belt span between the pulleys as shown in the figure. Say for example the lines are placed 1000 mm apart. (A).



 Increase the distance between the two lines by 0.5 to 0.75% i.e. by 5 to 7.5 mm for an initial spacing of 1000 mm so that the (A) now become 1007.5 mm.



- 4. Run the drive under load for about ten minutes.
- Check the tension (spacing between two lines) & readjust, if necessary.


Causes	Remedies
a) Force applied on the belts over the pulley during installation	a) Use proper installation techniques
b) Overloaded drive	b) Redo drive design, check the number of ribs.
c) Ingress of foreign material	c) Use drive guard
a) Pulley diameter too small	a) Redesign using the min. recommended diameter table
b) Ambient temperature too high	b) Ensure good ventilation
d) Contamination by chemicals	c) Check drive tensiond) Protect the drive
a) Overloaded drive	a) Redesigning of drive may be necessary
b) Centre distance more than recommended	b) Use an idler on the slack side
c) High shock load	c) Use an idler on the slack side
d) Too low belt tension e) Unbalanced pulleys	d) Re-tension the drive e) Balance the pulleys
a) Insufficient allowance for re-tensioning	a) Modify the drive
	a) Force applied on the belts over the pulley during installation b) Overloaded drive c) Ingress of foreign material a) Pulley diameter too small b) Ambient temperature too high c) Abnormal belt slip d) Contamination by chemicals a) Overloaded drive b) Centre distance more than recommended c) High shock load d) Too low belt tension e) Unbalanced pulleys a) Insufficient allowance

Problems	Causes	Solution
Cannot be re-tensioned	 a) Due to excessive stretch caused by overloaded drive 	a) Redesign the drive
	b) Incorrect belt length	b) Use a shorter length belt
Excessive wear	a) Starting torque too high	a) Redesign the drive
of ribs	b) Incorrect pulleys	b) Re-machine or replace the pulley
	c) Excessive wear of grooves	c) Re-machine or replace the pulley
	d) Poor drive alignment	d) Realign the pulleys
	e) Smaller than recommended min. pulley diameter	e) Redesign using correct pulleys
	f) Belts catching on protruding parts	f) Remove protrusions
	g) Wrong section of belt for pulleys	g) Go for correct belt
	h) Too low belt tension	h) Re-tension the drive
Excessive Noise	a) Poor drive alignment	a) Realign the pulleys
	b) Incorrect belt tension	b) Re-tension the drive
	c) High shock load	c) Redesign the drive
Belt swelling or softening	a) Contamination by oil grease or chemicals	a) Protect the drive


Do's & dont's

Do's and Don'ts of PIX V-Belts

Ensure perfect alignment of pulleys.



The grooves should be free from burrs, sharp edges, rust, oil and grease. Use proper drive guard to prevent this.




Belts used in the multiple drive should be from the same manufacturer. Do not place used and un-used belts together on the same drive




Do's & dont's

Do not pry or roll V-belts into the pulley grooves, if done so, the belt gets damaged internally. Using drive take-up enables the belt to get easily mounted on pulleys.



In a multiple drive pulley, make sure that the drive is fitted with all the required number of belts to get the best power-perfomance ratio. It is recommended to replace the whole set even though a single belt in the set has failed. Do not lubricate the belts at any stage of its life.



A change in ride out indicates uneven belt wear or worn sheaves. Change belt / sheaves with a new set.

Do's & dont's

Pulley should be checked for its correctness, whether it is manufactured as per international standards or not and should also be checked for worn out grooves. Bearings should be lubricated periodically.



If the pulley grooves have become too wide, the canvas cover over the belt gets worn out quickly along the lower side walls and if opposite the upper canvas of the belt gets worn out.

V-belt conversion factor

CLASSICAL SECTION

C4:	BELT LENGTH FACTOR			
Section	Lp to La	Lp to La	Lp to La	
	mm	mm	mm	
8	12	19	31	
Z/ZX	16	22	38	
A/AX	20	30	50	
B/BX	26	43	69	
20	31	48	79	
C/CX	32	56	88	
25	39	61	100	
D	40	79	119	
Е	53	92	145	

WEDGE SECTION

Section	BELT LENGTH FACTOR			
	Lp to La mm	Li to Lp mm	Li to La mm	
SPZ/XPZ	13	37	50	
SPA/XPA	18	45	63	
SPB/XPB	28	60	88	
19	25	69	94	
SPC/XPC	30	83	113	

NARROW SECTION

Section	BELT LENGTH FACTOR		
	Lp to La mm	Li to Lp mm	Li to La mm
3V/3VX	13	37	50
5V/5VX	25	60	85
8V/8VX	53	92	145

Notes



CORPORATE OFFICE & WORKS PIX TRANSMISSIONS LIMITED

J-7, M.I.D.C. Hingna Road Nagpur - 440 016. Maharashtra. India Ph.: +91 7104 237729 Fax : +91 7104 236505/6 E-mail : info@pixtrans.com Web Site : www.pixtrans.com



PIX EUROPE LIMITED E-mail : info@pixtrans.com Web Site : www.pixtrans.com



PIX GERMANY GmbH E-mail : info@pixgermany.com Web Site : www.pixeuro.com



PIX FLEXEQUIP HYDRAULICS LIMITED E-mail: info@pixflexequip.com Web Site: www.pixflexequip.com



PIX FLEXEQUIP HYDRAULICS LIMITED E-mail: info@pixflexequip.com Website: www.pixflexequip.com



PIX FLEXEQUIP HYDRAULICS LIMITED E-mail: info@pixflexequip.com Website: www.pixflexequip.com



E-mail : info@pixsam.com Web Site : www.pixsam.com



Web Site: www.pixacs.com

PIX HYDRAULICS & TRANSMISSIONS (Hangzhou) Ltd.
E-mail: info@pixqcs.com







